

05/2021

Car Clean Multi

1

paper cleaning cloth

CHARACTERISTICS

Car Clean Multi is a very absorbent, robust and a high-quality solventresistant cleaning cloth. It is not suitable for water cleaners.

APPLICATION

Car Clean Multi absorbs large volumes of solvents, oil and lubricants. Car Clean Multi is perfectly suitable for solvent based cleaners and silicone removers.

PRODUCT DATA

Material data Quality: Polypropylen, cellulose Plies: 1 Grammage: 75 g/m²

Color: blue Bleaching: no

Oil absorption capacity: 0,7 kg/m² Oil absorption quickness: 3 sec

Water absorption capacity: 0,42 kg/m² Water Oil absorption quickness: <1 sec.

Tensilie strength dry: 28 N/5cm Elongation dry: 30% Tensile strength wet: 55 N/5cm Elongation wet: 95 %

VOSSCHEMIE GMBH Esinger Steinweg 50 D-25436 Uetersen www.carsystem.org www.vosschemie.de





05/2021

Embossing: no Linting: 0,8 g/m² Silicon: no

Width: 32,00 cm Length: 36,00 cm Perforation: yes

ROLL

Sheets approx: 500 pieces Core: hard

SAFETY ISSUES

The before mentioned technical data and information, especially the recommendations for applying and using our products, are based on our current knowledge and experience when applied under normal conditions. In practice, the materials, surfaces or site conditions are so different that no warranty regarding the working results or liability, arising out of any relationship, can be inferred neither from this information nor from a verbal consultation, except we are charged with intent or gross negligence. In this case the user is obliged to prove that he has informed us about all points required for a proper and promising judgement in writing, in time and completely. Patent rights of any third party are to be observed. Furthermore, our general sales and delivery Terms and Conditions and the latest Technical Data Sheet, which should be demanded, apply.

Directions for handling and waste disposal are in our Material Safety Data Sheet and the specifications of the Employers Liability Insurance Association for the chemical industry.

VOSSCHEMIE GMBH Esinger Steinweg 50 D-25436 Uetersen
 Telefon
 +49 (0) 4122/717 -0

 Telefax
 +49 (0) 4122/717-158

 E-Mail
 info@vosschemie.de

www.carsystem.org www.vosschemie.de





05/2021

Copyright VOSSCHEMIE

VOSSCHEMIE GMBH Esinger Steinweg 50 D-25436 Uetersen
 Telefon
 +49 (0) 4122/717 -0

 Telefax
 +49 (0) 4122/717-158

 E-Mail
 info@vosschemie.de

www.carsystem.org www.vosschemie.de

